

DO NOT CIRCULATE

DO NOT CIRCULATE



FINAL VITAL STATISTICS TABLES. MARYLAND, 1956

These tables include interstate correction for residence, and replace the Provisional Vital Statistics published in January, 1957, which included only births and deaths which occurred in Maryland.



Division of Vital Records and Statistics
Maryland State Department of Health
2411 North Charles Street
Baltimore 18, Maryland
October, 1957



THE UNIVERSITY OF CHICAGO

PHILOSOPHY DEPARTMENT



1968

MARYLAND VITAL STATISTICS TABLES FOR 1956. (Final Report)^{a/}

<u>Table Number</u>	<u>POPULATION AND RATE TABLES</u>
1	Estimated populations, July 1, 1956*
2	Births and birth rates, 1920-1956
3	Deaths and death rates, 1920-1956
4	Death rates: 20 leading causes, 1956
5	Rates: Birth; death; infant, stillbirth and maternal mortality*
	<u>BIRTHS IN 1956</u>
6	Birthweight for single and plural births
7-A	Age of mother
7-B	Month of birth
8	Hospitalization*
9	Attendant*
10	Resident and non-resident ^{b/} *
	<u>DEATHS IN 1956</u>
11	Twenty leading causes
12-A	Age groups
12-B	Month of death
13	Six leading causes by age in State
14	Twenty selected causes*
15	Resident and non-resident ^{b/} *
16	Infant, stillbirth and maternal*
17	<u>MARRIAGES AND DIVORCES IN 1956</u>
18	<u>ABRIDGED LIFE TABLE</u>

All tables specific for race except Tables 13 and 14.

* Tables with stars show each county, Baltimore City, and totals for all counties and State.

Tables without stars show only three major areas; namely, State, Baltimore City and totals for counties.

^{a/}This report replaces the Preliminary Report released in January, 1957.

^{b/}Residence. Except for Tables 10 and 15, all statistics in this report refer to area of residence of the individual, even if the birth or death occurred in another county or State. Tables 10 and 15 show births and deaths by place of occurrence as well as non-residents.

TABLE 1. ESTIMATED POPULATION, BY RACE. MARYLAND AREAS, JULY 1, 1956

Area	POPULATION			PERCENT	
	All Races	White	Non-White	White	Non-White
Maryland State	2,777,000	2,315,400	461,600	83.4	16.6
Baltimore City	974,000	694,000	280,000	71.3	28.7
Total Counties	1,803,000	1,621,400	181,600	89.9	10.1
Allegany	82,500	81,400	1,100	98.7	1.3
Anne Arundel	171,700	143,700	28,000	83.7	16.3
Baltimore	370,400	354,500	15,900	95.7	4.3
Calvert	13,400	7,700	5,700	57.5	42.5
Caroline	18,600	15,100	3,500	81.2	18.8
Carroll	50,200	48,000	2,200	95.6	4.4
Cecil	44,700	41,700	3,000	93.3	6.7
Charles	28,000	18,700	9,300	66.8	33.2
Dorchester	32,600	23,600	9,000	72.4	27.6
Frederick	67,800	63,700	4,100	94.0	6.0
Garrett	19,000	19,000	-	100.0	-
Harford	66,200	58,900	7,300	89.0	11.0
Howard	27,400	23,800	3,600	86.9	13.1
Kent	14,900	11,300	3,600	75.8	24.2
Montgomery	256,500	243,700	12,800	95.0	5.0
Prince Georges	288,600	259,500	29,100	89.9	10.1
Queen Annes	15,200	11,400	3,800	75.0	25.0
Saint Marys	34,000	27,800	6,200	81.8	18.2
Somerset	21,100	13,000	8,100	61.6	38.4
Talbot	19,500	14,200	5,300	72.8	27.2
Washington	85,700	82,900	2,800	96.7	3.3
Wicomico	47,600	38,400	9,200	80.7	19.3
Worcester	27,400	19,400	8,000	70.8	29.2

THE
LIBRARY
OF THE
MUSEUM
OF
COMPARATIVE ZOOLOGY
AND
ANATOMY
HARVARD UNIVERSITY
CAMBRIDGE, MASS.

RECEIVED
JAN 10 1900

FROM
THE
LIBRARY
OF THE
MUSEUM
OF
COMPARATIVE ZOOLOGY
AND
ANATOMY
HARVARD UNIVERSITY
CAMBRIDGE, MASS.

RECEIVED
JAN 10 1900

FROM
THE
LIBRARY
OF THE
MUSEUM
OF
COMPARATIVE ZOOLOGY
AND
ANATOMY
HARVARD UNIVERSITY
CAMBRIDGE, MASS.

RECEIVED
JAN 10 1900

TABLE 2. BIRTHS BY RACE, WITH RATES. THREE MARYLAND AREAS, 1920 - 1956

Year	NUMBER OF BIRTHS								
	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	36,720	29,888	6,832	18,426	15,584	2,842	18,294	14,304	3,990
1925	34,313	27,504	6,809	16,357	13,181	3,176	17,956	14,323	3,633
1930	30,988	24,455	6,533	14,015	10,862	3,153	16,973	13,593	3,380
1935	28,143	22,112	6,031	12,332	9,363	2,969	15,811	12,749	3,062
1940	32,368	25,438	6,932	13,712	10,105	3,607	18,656	15,333	3,323
1945	42,816	34,678	8,138	17,848	13,308	4,540	24,968	21,370	3,598
1950	55,992	43,599	12,393	21,382	14,168	7,214	34,610	29,431	5,179
1951	61,081	47,992	13,089	22,630	14,938	7,692	38,451	33,054	5,397
1952	63,165	50,146	13,019	22,775	14,989	7,786	40,390	35,157	5,233
1953	64,523	50,918	13,605	22,748	14,628	8,120	41,775	36,290	5,485
1954	67,445	53,204	14,241	23,523	14,949	8,574	43,922	38,255	5,667
1955	69,205	54,549	14,656	23,291	14,366	8,925	45,914	40,183	5,731
1956	72,111	56,387	15,724	23,782	14,032	9,750	48,329	42,355	5,974

Year	BIRTH RATES PER 1,000 POPULATION								
	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	25.2	24.7	27.7	25.0	24.9	25.8	25.4	24.4	29.3
1925	22.2	21.4	25.9	21.2	20.4	25.0	23.2	22.4	26.8
1930	18.9	18.0	23.5	17.4	16.4	22.0	20.4	19.5	25.1
1935	16.3	15.3	20.7	14.8	13.8	19.1	17.6	16.7	22.6
1940	17.6	16.6	22.7	15.9	14.6	21.5	19.2	18.3	24.3
1945	20.4	19.8	23.4	19.7	18.8	23.0	21.0	20.6	24.0
1950	23.8	22.2	31.7	22.5	19.5	31.7	24.6	23.7	31.8
1951	25.4	23.9	33.1	23.7	20.7	33.4	26.6	25.8	32.6
1952	25.8	24.5	32.5	23.8	20.7	33.5	27.1	26.6	31.1
1953	25.8	24.5	32.5	23.6	20.4	32.8	27.2	26.6	32.1
1954	26.5	25.2	33.0	24.3	21.1	33.2	27.8	27.2	32.6
1955	25.6	24.1	33.3	24.1	20.5	33.6	26.5	25.8	32.7
1956	26.0	24.3	34.1	24.4	20.2	34.8	26.8	26.1	32.9

TABLE 3. DEATHS BY RACE, WITH RATES. THREE MARYLAND AREAS, 1920 - 1956

Year	NUMBER OF DEATHS								
	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	21,401	16,162	5,239	11,205	8,676	2,529	10,196	7,486	2,710
1925	21,854	16,254	5,600	11,432	8,541	2,891	10,422	7,713	2,709
1930	21,845	16,481	5,364	11,039	8,194	2,845	10,806	8,287	2,519
1935	21,138	16,083	5,055	10,707	7,917	2,790	10,431	8,166	2,265
1940	21,883	16,943	4,940	11,096	8,243	2,853	10,787	8,700	2,087
1945	22,376	17,581	4,795	11,358	8,481	2,877	11,018	9,100	1,918
1950	22,450	17,811	4,639	10,624	7,835	2,789	11,826	9,976	1,850
1951	22,859	18,072	4,787	10,885	7,996	2,889	11,974	10,076	1,898
1952	23,960	19,121	4,839	11,237	8,280	2,957	12,723	10,841	1,882
1953	23,628	19,088	4,540	10,762	8,044	2,718	12,866	11,044	1,822
1954	23,031	18,588	4,443	10,242	7,506	2,736	12,789	11,082	1,707
1955	24,344	19,727	4,617	10,781	7,967	2,814	13,563	11,760	1,803
1956	25,163	20,227	4,936	11,131	8,121	3,010	14,032	12,106	1,926

Year	DEATH RATES PER 1,000 POPULATION								
	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	14.7	13.3	21.3	15.2	13.8	22.9	14.1	12.8	19.9
1925	14.1	12.6	21.3	14.8	13.2	22.8	13.4	12.1	20.0
1930	13.3	12.3	19.3	13.7	12.4	19.8	13.0	11.9	18.7
1935	12.2	11.2	17.4	12.8	11.7	18.0	11.6	10.7	16.7
1940	11.9	11.1	16.2	12.9	11.9	17.0	11.1	10.4	15.2
1945	10.7	10.1	13.8	12.5	12.0	14.5	9.3	8.8	12.8
1950	9.5	9.1	11.9	11.1	10.8	12.3	8.4	8.0	11.4
1951	9.5	9.0	12.1	11.4	11.1	12.6	8.3	7.9	11.5
1952	9.8	9.3	12.1	11.7	11.4	12.7	8.5	8.2	11.2
1953	9.5	9.2	10.8	11.2	11.2	11.0	8.4	8.1	10.7
1954	9.1	8.8	10.3	10.6	10.6	10.6	8.1	7.9	9.8
1955	9.0	8.7	10.5	11.2	11.4	10.6	7.8	7.5	10.3
1956	9.1	8.7	10.7	11.4	11.7	10.7	7.8	7.5	10.6

TABLE 4. DEATH RATES^{a/} FOR TWENTY LEADING CAUSES BY RACE. THREE MARYLAND AREAS, 1956

Rank	Causes of death with 1948 International List Number	State of Maryland			Baltimore City			Total Counties		
		Total	White	Non- White	Total	White	Non- White	Total	White	Non- White
	All causes ^{a/}	9.1	8.7	10.7	11.4	11.7	10.7	7.8	7.5	10.6
1.	Diseases of the heart (410-443)	375.8	380.1	353.8	486.2	537.2	360.0	316.1	312.9	344.2
2.	Malignant neoplasms (140-205)	145.0	146.7	136.5	188.5	207.1	142.5	121.5	120.9	127.2
3.	Cerebral hemorrhage and other vascular lesions (330-334)	77.2	73.2	97.3	93.0	93.1	92.9	68.7	64.7	104.1
4.	All accidents (800-962)	50.6	45.3	73.0	55.3	51.7	64.3	48.1	42.5	99.1
5.	Diseases peculiar to early infancy (760-776)	41.3	32.6	85.3	46.0	30.1	85.3	38.8	33.6	85.3
6.	Influenza and pneumonia (480-493)	24.9	21.1	43.8	32.2	28.7	41.2	20.9	17.9	47.9
7.	Diabetes mellitus (260)	18.4	19.3	14.1	25.1	28.7	16.1	14.8	15.2	11.0
8.	Arteriosclerosis (450)	16.5	17.1	13.4	15.8	18.0	10.3	16.9	16.8	18.2
9.	Congenital malformations (750-759)	12.8	12.6	13.6	12.5	11.4	15.3	12.9	13.1	11.0
10.	Tuberculosis, all forms (001-019)	11.5	8.3	27.5	19.5	13.3	35.0	7.2	6.2	16.0
11.	Suicide (970-979)	10.6	12.0	3.7	10.3	13.3	2.9	10.8	11.5	4.9
12.	Nephritis (590-594)	10.4	8.3	20.8	10.8	6.9	20.3	10.1	8.9	21.5
13.	Cirrhosis of the liver (581)	9.7	9.6	9.7	15.4	16.0	13.9	6.5	6.9	3.3
14.	Other diseases of circulatory system (451-468)	9.3	9.1	10.6	12.6	13.0	11.8	7.5	7.4	8.8
15.	Hypertension without mention of heart (444-447)	6.5	5.3	12.6	8.7	7.1	12.9	5.3	4.6	12.1
16.	Hernia and intestinal obstruction (560-561,570)	5.8	5.3	8.0	8.2	8.3	7.9	4.5	4.1	8.3
17.	Ulcer of stomach and duodenum (540-542)	5.3	5.6	3.9	6.6	7.6	3.9	4.6	4.7	3.9
18.	Homicide (980-985)	4.9	1.9	19.9	7.5	2.2	20.7	3.5	1.8	18.7
19.	Other diseases of central nervous system (350-357)	4.6	3.8	8.4	7.0	6.3	8.6	3.3	2.8	8.3
20.	Benign and unspecified tumors (210-239)	4.4	4.3	5.0	5.5	5.9	4.6	3.8	3.6	5.5

^{a/} Rates for specific causes are per 100,000 population; for all causes, per 1,000 population.

TABLE 5. BIRTH AND DEATH RATES; INFANT, STILLBIRTH AND MATERNAL MORTALITY RATES. MARYLAND AREAS, 1956

Area of Residence	BIRTH RATES ^{a/}			DEATH RATES ^{a/}			INFANT MORTALITY RATES ^{b/}			STILLBIRTH RATES ^{b/c/}			MATERNAL MORTALITY ^{b/c/}		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Maryland State	26.0	24.3	34.1	9.1	8.7	10.7	26.2	22.1	40.9	16.5	14.8	22.3	3.5	1.9	8.9
Baltimore City	24.4	20.2	34.8	11.4	11.7	10.7	30.0	23.8	39.0	17.1	15.3	19.6	4.2	2.9	6.1
Total Counties	26.8	26.1	32.9	7.8	7.5	10.6	24.3	21.5	44.2	16.2	14.7	26.8	3.1	1.7	13.4
Allegany	19.2	19.1	25.5	11.8	11.7	20.9	27.2	25.1	142.9						
Anne Arundel	23.5	23.1	25.4	6.3	5.9	7.9	25.5	22.6	39.3						
Baltimore	28.9	28.8	31.3	7.2	7.0	11.1	20.7	20.1	34.1						
Calvert	30.7	22.7	41.6	9.9	10.3	9.5	43.6	22.9	59.1						
Caroline	24.7	23.3	30.9	13.4	12.4	17.7	26.1	17.0	55.5						
Carroll	19.8	19.6	24.1	9.4	9.3	10.9	28.1	27.6	37.7						
Cecil	28.2	28.1	29.3	7.8	7.8	7.7	31.7	29.8	56.8						
Charles	31.8	26.4	42.7	8.3	7.4	10.0	29.2	14.2	47.9						
Dorchester	18.9	13.9	32.1	9.9	8.7	13.2	32.5	27.5	38.1						
Frederick	23.5	22.5	40.5	9.7	9.4	14.1	23.8	20.3	54.2						
Garrett	24.7	24.7	-	11.4	11.4	-	23.4	23.4	-						
Harford	28.9	28.8	30.4	6.8	6.5	9.6	20.3	18.9	31.5						
Howard	25.8	24.8	32.8	8.8	8.6	10.3	19.8	20.3	16.9						
Kent	21.5	19.0	29.2	13.3	12.4	16.4	28.1	18.6	47.6						
Montgomery	28.8	28.8	30.0	6.2	5.9	10.5	20.1	18.0	59.9						
Prince Georges	31.2	30.4	38.4	6.0	5.7	8.8	24.5	21.2	47.4						
Queen Annes	23.5	19.8	34.5	10.9	10.4	12.4	36.4	48.7	15.3						
Saint Marys	30.8	28.7	40.0	6.7	5.8	10.6	33.5	28.8	48.4						
Somerset	20.5	16.8	26.4	12.2	12.9	11.1	39.3	32.0	46.7						
Talbot	24.1	21.3	31.9	13.5	12.6	15.8	38.2	26.5	59.2						
Washington	22.5	22.7	16.8	10.0	9.9	12.5	29.0	28.2	63.8						
Wicomico	24.0	20.1	40.2	9.1	8.6	10.9	22.7	18.1	32.4						
Worcester	21.6	16.4	34.1	9.7	8.8	11.9	28.8	22.0	36.6						

^{a/} Birth and general death rates are per 1,000 population.

^{b/} Infant and stillbirth mortality rates are per 1,000 live births; maternal mortality rates are per 10,000 live births.

^{c/} See Table 16 for numbers of infant, stillbirth and maternal deaths in each county. Rates were not calculated for individual counties because of small numbers.

TABLE 6. LIVE BIRTHS, SINGLE AND PLURAL BY BIRTHWEIGHT AND RACE. THREE MARYLAND AREAS, 1956

Area of Residence	TOTAL (Single and plural births)	SINGLE BIRTHS			PLURAL BIRTHS			Weight not stated	
		BIRTHWEIGHT		PER CENT 2500 gms and less	BIRTHWEIGHT		PER CENT 2500 gms and less		
		2500 gms and less	2501 gms and over		2500 gms and less	2501 gms and over			
								Single	Plural
<u>ALL RACES</u>									
Maryland State	72,111	5,534	64,851	7.9	732	693	51.4	296	5
Baltimore City	23,782	2,263	20,959	9.7	280	235	54.4	42	3
Total Counties	48,329	3,271	43,892	6.9	452	458	49.7	254	2
<u>WHITE</u>									
Maryland State	56,387	3,564	51,562	6.5	526	521	50.2	209	5
Baltimore City	14,032	985	12,775	7.1	132	115	53.4	22	3
Total Counties	42,355	2,579	38,787	6.2	394	406	49.3	187	2
<u>NON-WHITE</u>									
Maryland State	15,724	1,970	13,289	12.9	206	172	54.5	87	-
Baltimore City	9,750	1,278	8,184	13.5	148	120	55.2	20	-
Total Counties	5,974	692	5,105	11.9	58	52	52.7	67	-

TABLE 7-A. BIRTHS BY RACE AND AGE OF MOTHER. THREE MARYLAND AREAS, 1956

Area of Residence	Race	All ages	AGE OF MOTHER								
			Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & over	Not stated
Maryland State	All births	72,111	191	9,391	21,789	19,776	13,411	6,096	1,315	96	46
	White	56,387	49	5,958	16,857	16,126	11,180	5,051	1,066	75	25
	Non-White	15,724	142	3,433	4,932	3,650	2,231	1,045	249	21	21
Baltimore City	All births	23,782	94	3,770	7,582	6,063	3,991	1,843	400	33	6
	White	14,032	15	1,707	4,464	3,777	2,576	1,207	260	24	2
	Non-White	9,750	79	2,063	3,118	2,286	1,415	636	140	9	4
Total Counties	All births	48,329	97	5,621	14,207	13,713	9,420	4,253	915	63	40
	White	42,355	34	4,251	12,393	12,349	8,604	3,844	806	51	23
	Non-White	5,974	63	1,370	1,814	1,364	816	409	109	12	17

TABLE 7-B. BIRTHS BY RACE AND MONTH OF BIRTH. THREE MARYLAND AREAS, 1956

Area of Residence	Race	All months	MONTH OF BIRTH											
			Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland State	All births	72,111	5794	5663	5877	5029	5347	5839	6454	6552	6645	6357	6111	6443
	White	56,387	4470	4402	4633	3971	4285	4526	5023	5112	5193	4988	4760	5024
	Non-White	15,724	1324	1261	1244	1058	1062	1313	1431	1440	1452	1369	1351	1419
Baltimore City	All births	23,782	1945	1865	1919	1664	1740	1927	2144	2198	2142	2053	2050	2135
	White	14,032	1138	1106	1154	1004	1066	1123	1259	1275	1258	1201	1202	1246
	Non-White	9,750	807	759	765	660	674	804	885	923	884	852	848	889
Total Counties	All births	48,329	3849	3798	3958	3365	3607	3912	4310	4354	4503	4304	4061	4308
	White	42,355	3332	3296	3479	2967	3219	3403	3764	3837	3935	3787	3558	3778
	Non-White	5,974	517	502	479	398	388	509	546	517	568	517	503	530

TABLE 8. BIRTHS BY HOSPITALIZATION AND RACE. MARYLAND AREAS, 1956

Area of Residence	ALL BIRTHS			HOSPITAL BIRTHS			PER CENT HOSPITAL			LOCATION OF HOSPITAL			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Same County	Other County	Other State	Balto. City
Maryland State	72,111	56,387	15,724	69,706	55,530	14,176	96.7	98.5	90.1	18,442	4,256	11,294	35,714
Baltimore City	23,782	14,032	9,750	23,142	13,865	9,277	97.3	98.8	95.1	...	408	145	22,589
Total Counties	48,329	42,355	5,974	46,564	41,665	4,899	96.3	98.4	82.0	18,442	3,848	11,149	13,125
Allegany	1,583	1,555	28	1,575	1,547	28	99.5	99.5	100.0	1,429	8	137	1
Anne Arundel	4,036	3,324	712	3,895	3,266	629	96.5	98.3	88.3	1,614	117	140	2,024
Baltimore	10,701	10,203	498	10,489	10,030	459	98.0	98.3	92.2	-	301	177	10,011
Calvert	412	175	237	379	174	205	92.0	99.4	86.5	322	36	13	8
Caroline	460	352	108	409	337	72	88.9	95.7	66.7	-	296	113	-
Carroll	995	942	53	925	883	42	93.0	93.7	79.2	-	218	385	322
Cecil	1,261	1,173	88	1,234	1,148	86	97.9	97.9	97.7	837	293	86	18
Charles	891	494	397	653	484	169	73.3	98.0	42.6	322	92	230	9
Chorchester	616	327	289	507	312	195	82.3	95.4	67.5	453	41	12	1
Frederick	1,597	1,431	166	1,545	1,384	161	96.7	96.7	97.0	1,198	71	268	8
Garrett	470	470	-	437	437	-	93.0	93.0	-	305	37	95	-
Harford	1,917	1,695	222	1,850	1,650	200	96.5	97.3	90.1	1,553	25	37	235
Howard	708	590	118	678	575	103	95.8	97.5	87.3	-	306	18	354
Kent	320	215	105	315	214	101	98.4	99.5	96.2	268	21	20	6
Montgomery	7,394	7,010	384	7,360	6,988	372	99.5	99.7	96.9	3,194	149	3,990	27
Prince Georges	8,997	7,880	1,117	8,919	7,836	1,083	99.1	99.4	96.9	2,799	939	5,134	47
Queen Annes	357	226	131	316	208	108	88.5	92.0	82.4	-	293	11	12
Saint Marys	1,046	798	248	929	775	154	88.8	97.1	62.1	856	24	17	32
Somerset	433	219	214	315	214	101	72.7	97.7	47.2	167	139	9	-
Talbot	471	302	169	438	299	139	93.0	99.0	82.2	411	20	4	3
Washington	1,929	1,882	47	1,876	1,832	44	97.3	97.3	93.6	1,641	32	200	3
Wicomico	1,144	774	370	1,116	767	348	97.5	99.1	94.1	1,074	13	28	1
Worcester	591	318	273	405	305	100	68.5	95.9	36.6	-	377	25	3

TABLE 9. BIRTHS BY ATTENDANT AND RACE. MARYLAND AREAS, 1956

Area of Residence	DELIVERIES BY:											
	ALL ATTENDANT TYPES			PHYSICIAN			MIDWIFE			OTHER ATTENDANT		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Maryland State	72,111	56,387	15,724	71,003	56,210	14,793	1,000	126	874	103	46	57
Baltimore City	23,782	14,032	9,750	23,573	13,989	9,584	152	29	123	53	10	43
Other Counties	48,329	42,355	5,974	47,430	42,221	5,209	848	97	751	50	36	14
Allegany	1,583	1,555	28	1,581	1,553	28	-	-	-	2	2	-
Anne Arundel	4,036	3,324	712	3,959	3,304	655	68	15	53	9	5	4
Baltimore	10,701	10,203	498	10,681	10,190	491	9	5	4	11	8	3
Balver	412	175	237	394	174	220	18	1	17	-	-	-
Caroline	460	352	108	431	347	84	29	5	24	-	-	-
Carroll	995	942	53	993	940	53	-	-	-	2	2	-
Cecil	1,261	1,173	88	1,261	1,173	88	-	-	-	-	-	-
Charles	891	494	397	661	485	176	230	9	221	-	-	-
Frederick	616	327	289	535	320	215	81	7	74	-	-	-
Frederick	1,597	1,431	166	1,591	1,425	166	6	6	-	-	-	-
Harrett	470	470	-	446	446	-	18	18	-	6	6	-
Harford	1,917	1,695	222	1,914	1,692	222	2	2	-	1	1	-
Howard	708	590	118	707	589	118	-	-	-	1	1	-
Montgomery	320	215	105	319	215	104	-	-	-	1	-	1
Montgomery	7,394	7,010	384	7,391	7,008	383	-	-	-	3	2	1
Prince Georges	8,997	7,880	1,117	8,982	7,875	1,107	8	1	7	6	3	3
Queen Annes	357	226	131	347	225	122	10	1	9	-	-	-
Saint Marys	1,046	798	248	939	777	162	106	20	86	1	1	-
Somerset	433	219	214	325	215	110	106	2	104	2	2	-
Waldorf	471	302	169	456	302	154	14	-	14	1	-	1
Washington	1,929	1,882	47	1,924	1,877	47	2	2	-	3	3	-
Wicomico	1,144	774	370	1,132	772	360	11	2	9	1	-	1
Worcester	591	318	273	461	317	144	130	1	129	-	-	-

TABLE 10. BIRTHS BY PLACE OF RESIDENCE AND OCCURRENCE, BY RACE. MARYLAND AREAS, 1956

Area	Number of births						Births to Maryland residents				Births in Maryland			
	By area of RESIDENCE			By area of OCCURRENCE			which occurred in:				to residents of:			
	Total	White	Non-White	Total	White	Non-White	Another State	Another County	Balto. City	Sub-Total	Another State	Another County	Balto. City	Sub-Total
Maryland State	72,111	56,387	15,724	65,374	49,953	15,421	11,345	4,271	13,149	28,765	4,607	17,013	408	22,028
Baltimore City	23,782	14,032	9,750	36,460	26,003	10,457	151	408	...	559	88	13,149	...	13,237
Total Counties	48,329	42,355	5,974	28,914	23,950	4,964	11,194	3,863	13,149	28,206	4,519	3,864	408	8,791
Allegany	1,583	1,555	28	1,923	1,895	28	137	8	1	146	419	65	2	486
Anne Arundel	4,036	3,324	712	3,128	2,577	551	142	117	2,032	2,291	725	309	349	1,383
Baltimore	10,701	10,203	498	197	163	34	178	302	10,024	10,504	-	-	-	-
Calvert	412	175	237	379	140	239	13	36	8	57	1	23	-	24
Caroline	460	352	108	48	14	34	114	300	-	414	1	1	-	2
Carroll	995	942	53	68	54	14	386	222	323	931	4	-	-	4
Cecil	1,261	1,173	88	1,188	1,106	82	87	293	18	398	255	58	12	325
Charles	891	494	397	602	326	276	230	92	9	331	9	33	-	42
Dorchester	616	327	289	601	310	291	13	41	1	55	12	27	1	40
Frederick	1,597	1,431	166	1,488	1,298	190	271	71	8	350	8	232	1	241
Garrett	470	470	-	449	449	-	98	37	-	135	112	2	-	114
Harford	1,917	1,695	222	2,413	2,172	241	40	25	236	301	386	390	21	797
Howard	708	590	118	30	14	16	18	306	355	679	-	1	-	1
Kent	320	215	105	408	268	140	20	21	6	47	5	129	1	135
Montgomery	7,394	7,010	384	6,294	5,762	532	3,996	149	27	4,172	1,869	1,195	8	3,072
Prince Georges	8,997	7,880	1,117	3,235	2,448	787	5,152	939	47	6,138	95	276	5	376
Queen Annes	357	226	131	42	19	23	11	294	12	317	2	-	-	2
Saint Marys	1,046	798	248	1,270	1,041	229	18	25	32	75	262	29	8	299
Somerset	433	219	214	301	150	151	9	139	-	148	11	5	-	16
Talbot	471	302	169	955	653	302	4	21	3	28	9	503	-	512
Washington	1,929	1,882	47	1,848	1,803	45	201	32	3	236	97	58	-	155
Wicomico	1,144	774	370	1,849	1,275	574	29	16	1	46	226	525	-	751
Worcester	591	318	273	198	13	185	27	377	3	407	11	3	-	14

TABLE 11. DEATHS FOR TWENTY LEADING CAUSES BY RACE. THREE MARYLAND AREAS, 1956

Rank	Causes of death with 1948 International List Number	State of Maryland			Baltimore City			Total Counties		
		Total	White	Non- White	Total	White	Non- White	Total	White	Non- White
	All causes	25,163	20,227	4,936	11,131	8,121	3,010	14,032	12,106	1,926
1.	Diseases of the heart (410-443)	10,435	8,802	1,633	4,736	3,728	1,008	5,699	5,074	625
2.	Malignant neoplasms (140-205)	4,027	3,397	630	1,836	1,437	399	2,191	1,960	231
3.	Cerebral hemorrhage and other vasc. lesions (330-334)	2,144	1,695	449	906	646	260	1,238	1,049	189
4.	All accidents (800-962)	1,406	1,047	359	539	359	180	867	688	179
5.	Diseases peculiar to early infancy (760-776)	1,148	754	394	448	209	239	700	545	155
6.	Influenza and pneumonia (480-493)	691	489	202	314	199	115	377	290	87
7.	Diabetes mellitus (260)	511	446	65	244	199	45	267	247	20
8.	Arteriosclerosis (450)	459	397	62	154	125	29	305	272	33
9.	Congenital malformations (750-759)	355	292	63	122	79	43	233	213	20
10.	Tuberculosis, all forms (001-019)	320	193	127	190	92	98	130	101	29
11.	Suicide (970-979)	295	278	17	100	92	8	195	186	9
12.	Nephritis (590-594)	288	192	96	105	48	57	183	144	39
13.	Cirrhosis of the liver (581)	268	223	45	150	111	39	118	112	6
14.	Other diseases of circulatory system (451-468)	259	210	49	123	90	33	136	120	16
15.	Hypertension without mention of heart (444-447)	181	123	58	85	49	36	96	74	22
16.	Hernia and intestinal obstruction (560-561,570)	161	124	37	80	58	22	81	66	15
17.	Ulcer of stomach and duodenum (540-542)	147	129	18	64	53	11	83	76	7
18.	Homicide (980-985)	136	44	92	73	15	58	63	29	34
19.	Other diseases of central nervous system (350-357)	128	89	39	68	44	24	60	45	15
20.	Benign and unspecified tumors (210-239)	122	99	23	54	41	13	68	58	10

TABLE 12-A. DEATHS IN BROAD AGE GROUPS, BY RACE. THREE MARYLAND AREAS, 1956

Area of Residence	Race	All ages	DEATHS BY AGE									
			Under one	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 +
Maryland State	All deaths	25,163	1888	275	259	361	651	1378	2724	4541	5915	7170
	White	20,227	1244	181	189	246	423	923	1983	3555	4980	6502
	Non-White	4,936	644	94	70	115	228	455	741	986	935	668
Baltimore City	All deaths	11,131	714	94	100	112	276	665	1325	2260	2726	2859
	White	8,121	334	48	55	59	136	340	816	1601	2188	2544
	Non-White	3,010	380	46	45	53	140	325	509	659	538	315
Total Counties	All deaths	14,032	1174	181	159	249	375	713	1399	2281	3189	4311
	White	12,106	910	133	134	187	287	583	1167	1954	2792	3958
	Non-White	1,926	264	48	25	62	88	130	232	327	397	353

Unknown age - one white death in the Total Counties

TABLE 12-B. DEATHS BY RACE AND MONTH OF DEATH. THREE MARYLAND AREAS, 1956

Area of Residence	Race	All months	MONTH OF DEATH											
			Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland State	All deaths	25,163	2373	2153	2125	2046	2079	2063	1964	2056	1899	2041	2114	2245
	White	20,227	1890	1744	1661	1680	1708	1656	1597	1635	1507	1623	1713	1813
	Non-White	4,936	483	409	464	366	371	412	367	421	392	418	401	432
Baltimore City	All deaths	11,131	1066	962	921	905	906	947	840	879	856	925	933	991
	White	8,121	779	712	648	691	656	700	612	638	619	663	684	719
	Non-White	3,010	287	250	273	214	250	247	228	241	237	262	249	272
Total Counties	All deaths	14,032	1307	1191	1204	1141	1173	1121	1124	1177	1043	1116	1181	1254
	White	12,106	1111	1032	1013	989	1052	956	985	997	888	960	1029	1094
	Non-White	1,926	196	159	191	152	121	165	139	180	155	156	152	160

TABLE 13. THE SIX LEADING CAUSES OF DEATH IN SPECIFIED AGE GROUPS. MARYLAND, 1956

<u>UNDER ONE YEAR</u>			<u>AGES 1 - 4</u>				
<u>Rank</u>	<u>Number</u>	<u>Percent of all causes Under age 1</u>	<u>Rank</u>	<u>Number</u>	<u>Percent of all causes Ages 1-4</u>		
	All causes	1,888	100.0		All causes	275	100.0
1.	Prematurity	827	43.8	1.	Accidents	70	25.5
2.	Congenital malformations	270	14.3	2.	Influenza and pneumonia	40	14.5
3.	Influenza and pneumonia	167	8.8	3.	Congenital malformations	33	12.0
4.	Birth injury	110	5.8	4.	Malignant neoplasms	30	10.9
5.	Asphyxia	92	4.9	5.	Diarrhea and enteritis	12	4.4
6.	Accidents	57	3.0	6.	Meningococcal infections	6	2.2

<u>AGES 5 - 14</u>			<u>AGES 15 - 44</u>				
<u>Rank</u>	<u>Number</u>	<u>Percent of all causes Ages 5-14</u>	<u>Rank</u>	<u>Number</u>	<u>Percent of all causes Ages 15-44</u>		
	All causes	259	100.0		All causes	2,390	100.0
1.	Accidents	113	43.6	1.	Accidents	568	23.8
2.	Malignant neoplasms	41	15.8	2.	Diseases of the heart	465	19.5
3.	Congenital malformations	21	8.1	3.	Malignant neoplasms	366	15.3
4.	Influenza and pneumonia	13	5.0	4.	Cerebral hemorrhage and other vascular lesions, etc.	118	4.9
5.	Nephritis and nephrosis	6	2.3	5.	Suicide	95	4.0
6.	Rheumatic fever	6	2.3	6.	Homicide	90	3.8

<u>AGES 45 - 64</u>			<u>AGES 65 AND OVER</u>				
<u>Rank</u>	<u>Number</u>	<u>Percent of all causes Ages 45-64</u>	<u>Rank</u>	<u>Number</u>	<u>Percent of all causes Ages 65 +</u>		
	All causes	7,265	100.0		All causes	13,085	100.0
1.	Diseases of the heart	3,115	42.9	1.	Diseases of the heart	6,840	52.3
2.	Malignant neoplasms	1,679	23.1	2.	Malignant neoplasms	1,908	14.6
3.	Cerebral hemorrhage and other vascular lesions, etc.	504	6.9	3.	Cerebral hemorrhage and other vascular lesions, etc.	1,516	11.6
4.	Accidents	290	4.0	4.	Arteriosclerosis	431	3.3
5.	Diabetes mellitus	160	2.2	5.	Diabetes mellitus	324	2.5
6.	Suicide	143	2.0	6.	Influenza and pneumonia	309	2.4

TABLE 14. DEATHS FOR SELECTED CAUSES. MARYLAND AREAS, 1956

Area of Residence	All causes	Diseases of heart (410-443)	Malignant neoplasms (140-205)	Cerebral hemorrhage and other vasc. lesions (330-334)	Accidents			Early infancy (760-776)	Influenza & pneumonia (7480-493)	Diabetes mellitus (260)	Arterio-sclerosis (450)	Congenital malformations (750-759)	Tuberculosis, all forms (001-019)	Suicide (970-979)	Nephritis,* all forms (590-594)	Homicide (980-985)	Syphilis, all forms (020-029)	Alcoholism (322)	Polio-myelitis (080)	Rheumatic fever (400-402)	Chronic rheumatic heart dis. (410-416)
					All accidents (800-962)	Motor vehicle (810-835)	Home accidents														
Maryland State	25,163	10,435	4027	2144	1406	533	406	1148	691	511	459	355	320	295	288	136	86	56	5	20	283
Baltimore City	11,131	4,736	1836	906	539	156	187	448	314	244	154	122	190	100	105	73	59	26	2	9	133
Total Counties	14,032	5,699	2191	1238	867	377	219	700	377	267	305	233	130	195	183	63	27	30	3	11	150
Allegany	977	435	135	93	54	29	11	22	17	32	26	13	4	13	36	1	2	1	-	1	10
Anne Arundel	1,076	420	183	77	76	35	15	62	30	25	19	16	10	14	10	7	2	1	-	4	10
Baltimore	2,662	1,187	448	168	129	53	24	148	59	52	45	41	24	40	18	6	6	3	-	4	37
Calvert	133	44	15	22	10	6	1	12	2	3	1	2	2	-	2	2	1	-	-	-	-
Caroline	249	94	37	27	18	5	3	7	8	7	11	2	1	2	1	1	1	1	-	-	2
Carroll	473	204	77	53	26	10	8	13	8	8	8	9	2	9	9	1	-	2	-	-	2
Cecil	348	130	51	34	25	12	7	17	14	4	4	10	1	1	7	-	1	2	-	-	1
Charles	232	69	37	27	26	15	6	18	12	-	2	4	2	4	-	-	-	1	-	-	3
Dorchester	324	142	53	25	23	12	9	11	9	7	6	4	6	1	2	2	1	-	1	-	2
Frederick	657	279	71	79	34	14	7	19	27	16	21	8	7	12	8	1	1	-	-	-	5
Garrett	216	99	18	16	15	5	2	6	4	5	11	-	2	3	4	1	-	1	-	-	3
Harford	453	197	69	33	40	25	7	24	8	9	5	10	2	4	5	3	-	1	-	-	3
Howard	241	95	36	30	18	7	7	7	7	2	5	4	3	3	2	2	-	1	-	-	2
Kent	199	74	32	15	14	4	4	5	7	3	4	3	2	3	3	1	1	-	-	-	2
Montgomery	1,586	582	309	132	71	25	18	92	44	31	40	37	10	29	14	4	1	3	1	1	14
Prince Georges	1,737	639	286	140	115	50	35	134	60	25	28	37	15	22	14	14	3	4	-	-	30
Queen Annes	166	65	20	12	17	10	2	5	2	2	7	3	-	1	5	1	1	1	-	-	1
Saint Marys	228	68	34	15	33	13	5	17	12	-	5	6	2	5	2	2	-	1	-	-	1
Somerset	258	100	44	30	17	6	4	10	7	3	4	-	6	2	12	1	1	-	-	-	2
Talbot	263	123	32	27	16	6	3	10	6	2	8	3	3	-	7	2	-	1	1	-	2
Washington	856	375	125	69	50	18	23	31	19	21	29	15	10	16	8	2	3	3	-	1	10
Wicomico	432	168	48	76	18	9	5	19	9	8	13	3	8	9	9	6	1	3	-	-	6
Worcester	266	110	31	38	22	8	13	11	6	2	3	3	8	2	5	3	1	-	-	-	2

* Diseases of the heart through nephritis are the 12 leading causes in the State; the remainder are selected causes.

TABLE 15. DEATHS BY PLACE OF RESIDENCE AND OCCURRENCE, BY RACE. MARYLAND AREAS, 1956

Area	Number of deaths						Deaths to Maryland residents				Deaths in Maryland			
	By area of RESIDENCE			By area of OCCURRENCE			which occurred in:				to residents of:			
	Total	White	Non-White	Total	White	Non-White	Another State	Another County	Balto. City	Sub-Total	Another State	Another County	Balto. City	Sub-Total
Maryland State	25,163	20,227	4,936	25,198	20,256	4,942	1,623	2 372	1928	5,923	1,661	3 210	1087	5,958
Baltimore City	11,131	8,121	3,010	12,081	9,120	2,961	176	1,088	...	1,264	287	1,927	...	2,214
Total Counties	14,032	12,106	1,926	13,117	11,136	1,981	1,447	1,284	1,928	4,659	1,374	1,283	1,087	3,744
Allegany	977	954	23	991	973	18	72	33	16	121	116	17	2	135
Anne Arundel	1,076	855	221	949	619	330	17	98	288	403	53	77	146	276
Baltimore	2,662	2,486	176	2,177	1,997	180	69	90	1,183	1,342	55	188	614	857
Calvert	133	79	54	125	79	46	5	15	7	27	5	11	3	19
Caroline	249	187	62	142	106	36	24	91	7	122	7	7	1	15
Carroll	473	449	24	624	582	42	42	44	85	171	13	125	184	322
Cecil	348	325	23	427	376	51	33	37	14	84	90	45	28	163
Charles	232	139	93	190	121	69	33	26	13	72	19	9	2	30
Dorchester	324	205	119	364	263	101	8	27	17	52	5	84	3	92
Frederick	657	599	58	633	578	55	45	54	30	129	23	62	20	105
Garrett	216	216	-	223	223	-	28	23	1	52	41	18	-	59
Harford	453	383	70	407	347	60	14	37	67	118	28	34	10	72
Howard	241	204	37	160	142	18	7	45	87	139	8	22	28	58
Kent	199	140	59	177	124	53	9	30	6	45	7	15	1	23
Montgomery	1,586	1,451	135	1,820	1,660	160	410	79	12	501	566	160	9	735
Prince Georges	1,737	1,482	255	1,227	989	238	508	198	27	733	162	50	11	223
Queen Annes	166	119	47	106	78	28	8	62	6	76	7	9	-	16
Saint Marys	228	162	66	193	138	55	16	28	15	59	16	7	1	24
Somerset	258	168	90	196	124	72	8	59	11	78	8	5	3	16
Talbot	263	179	84	317	211	106	6	41	6	53	10	94	3	107
Washington	856	821	35	850	823	27	59	36	18	113	67	36	4	107
Wicomico	432	332	100	653	479	174	14	29	8	51	57	202	13	272
Worcester	266	171	95	166	104	62	12	102	4	118	11	6	1	18

TABLE 16. INFANT, STILLBIRTH AND MATERNAL MORTALITY, BY RACE. MARYLAND AREAS, 1956

Area of Residence	DEATHS UNDER AGE ONE						STILLBIRTHS*			MATERNAL DEATHS		
	All ages under one			Under 28 days			Total	White	Non-white	Total	White	Non-white
	Total	White	Non-white	Total	White	Non-white						
Maryland State	1,888	1,244	644	1,365	937	428	1,187	836	351	25	11	14
Baltimore City	714	334	380	516	251	265	406	215	191	10	4	6
Total Counties	1,174	910	264	849	686	163	781	621	160	15	7	8
Allegany	43	39	4	27	25	2	34	33	1	1	1	-
Anne Arundel	103	75	28	73	59	14	64	52	12	1	-	1
Baltimore	222	205	17	185	171	14	167	152	15	2	1	1
Calvert	18	4	14	14	2	12	10	-	10	-	-	-
Caroline	12	6	6	8	4	4	6	4	2	-	-	-
Carroll	28	26	2	18	17	1	15	10	5	-	-	-
Cecil	40	35	5	26	24	2	29	25	4	-	-	-
Charles	26	7	19	16	5	11	17	6	11	1	-	1
Dorchester	20	9	11	15	8	7	16	6	10	-	-	-
Frederick	38	29	9	24	19	5	25	24	1	-	-	-
Garrett	11	11	-	4	4	-	6	6	-	-	-	-
Harford	39	32	7	31	27	4	43	35	8	1	1	-
Howard	14	12	2	10	8	2	12	9	3	-	-	-
Kent	9	4	5	6	2	4	12	6	6	2	-	2
Montgomery	149	126	23	115	100	15	86	77	9	3	2	1
Prince Georges	220	167	53	157	125	32	136	112	24	1	1	-
Queen Annes	13	11	2	8	7	1	4	2	2	-	-	-
Saint Marys	35	23	12	19	13	6	28	16	12	-	-	-
Somerset	17	7	10	10	6	4	6	2	4	-	-	-
Talbot	18	8	10	10	6	4	7	2	5	1	-	1
Washington	56	53	3	39	37	2	30	29	1	1	1	-
Wicomico	26	14	12	21	11	10	18	10	8	1	-	1
Worcester	17	7	10	13	6	7	10	3	7	-	-	-

*Stillbirths relate to 20 weeks of gestation or longer.

TABLE 17. MARRIAGE AND DIVORCE DATA BY COUNTY OF OCCURRENCE. MARYLAND AREAS, 1956

Area	Number of marriages ^{a/}			Marriages per 1000 population			Non-resident ^{b/} marriages		Divorces granted
	Total	White	Non-White	Total	White	Non-White	Number	Per cent ^{c/}	
Maryland State	45,242	36,509	8,733	16.3	15.8	18.9	20,839	46.1	5,490
Baltimore City	11,285	7,590	3,695	11.6	10.9	13.2	1,150	10.2	2,799
Total Counties	33,957	28,919	5,038	18.8	17.8	27.7	19,689	58.0	2,691
Allegany	2,717	2,578	139	32.9	31.7	126.4	1,888	69.5	171
Anne Arundel	1,296	1,081	215	7.5	7.5	7.7	245	18.9	172
Baltimore	2,936	2,802	134	7.9	7.9	8.4	632	21.5	399
Calvert	123	87	36	9.2	11.3	6.3	11	8.9	23
Caroline	417	320	97	22.4	21.2	27.7	232	55.6	32
Carroll	795	775	20	15.8	16.1	9.1	338	42.5	57
Cecil	10,044	7,758	2,286	224.7	186.0	762.0	9,125	90.9	82
Charles	497	383	114	17.7	20.5	12.3	223	44.9	28
Dorchester	271	176	95	8.3	7.5	10.5	15	5.5	48
Frederick	1,018	955	63	15.0	15.0	15.4	358	35.2	114
Garrett	1,544	1,526	18	81.3	80.3	-	1,327	85.9	36
Harford	1,248	1,163	85	18.9	19.7	11.6	651	52.2	124
Howard	712	630	82	26.0	26.5	22.8	78	10.9	29
Kent	411	334	77	27.6	29.5	21.4	259	63.0	30
Montgomery	2,561	2,055	506	10.0	8.4	39.5	1,136	44.3	306
Prince Georges	2,575	2,163	412	8.9	8.3	14.1	797	30.9	562
Queen Annes	206	170	36	13.5	14.9	9.5	88	42.7	14
Saint Marys	284	242	42	8.3	8.7	6.8	19	6.7	34
Somerset	297	207	90	14.1	15.9	11.1	87	29.3	40
Talbot	233	183	50	11.9	12.9	9.4	21	9.0	36
Washington	2,658	2,529	129	31.0	30.5	46.1	1,744	65.6	191
Wicomico	607	468	139	12.7	12.2	15.1	181	29.8	128
Worcester	507	334	173	18.5	17.2	21.6	234	46.1	35

^{a/} Marriages refer to the number of ceremonies - not the number of persons married.

^{b/} Non-resident marriages are those in which neither party was resident in Maryland.

^{c/} Non-resident marriages as a per cent of all marriages.

TABLE 18. ABRIDGED LIFE TABLE FOR MARYLAND, 1949-51^{a/}

Selected ages	PROPORTION DYING (Q_x)				STATIONARY POPULATION (L_x)				AVERAGE REMAINING LIFETIME (e_x)			
	Number dying during year per 1,000 alive at beginning of year				Survivors in year of age from 100,000 born alive				Average number of years of life remaining at beginning of year of age			
	White		Non-White		White		Non-White		White		Non-White	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
0-1	26.08	20.77	48.08	36.10	97,706	98,205	95,993	97,022	66.32	71.90	58.09	61.95
5-6	0.74	0.59	1.10	0.90	96,886	97,490	94,262	95,683	63.41	68.72	56.57	59.69
10-11	0.49	0.36	0.73	0.64	96,570	97,274	93,853	95,339	58.62	63.87	51.81	54.91
15-16	0.84	0.51	1.50	1.04	96,300	97,078	93,388	94,962	53.77	58.99	47.04	50.11
20-21	1.25	0.61	3.41	2.49	95,766	96,793	92,289	94,183	49.04	54.15	42.52	45.46
25-26	1.30	0.68	4.23	3.43	95,152	96,485	90,449	92,722	44.34	49.32	38.32	41.12
30-31	1.46	1.25	4.80	3.98	94,506	96,052	88,484	91,039	39.62	44.51	34.10	36.82
35-36	2.12	1.54	6.54	5.25	93,687	95,348	86,035	88,986	34.94	39.82	29.97	32.59
40-41	3.84	2.34	9.53	7.69	92,350	94,505	82,682	86,193	30.37	35.13	26.03	28.52
45-46	6.92	4.06	14.34	11.79	89,943	93,012	77,931	82,142	26.07	30.62	22.40	24.74
50-51	10.63	5.74	20.75	17.04	86,058	90,739	71,365	76,409	22.08	26.30	19.15	21.33
55-56	17.39	8.84	29.67	23.85	80,374	87,577	62,907	68,976	18.38	22.12	16.29	18.28
60-61	26.88	14.29	40.20	32.72	71,896	82,700	52,671	59,810	15.16	18.21	13.87	15.61
65-66	37.55	22.42	50.71	43.41	61,060	75,470	41,730	49,300	12.31	14.63	11.78	13.31
70-71	53.34	36.82	64.17	55.09	48,550	65,177	31,118	38,310	9.72	11.42	9.86	11.33
75-76	85.03	58.95	89.29	68.22	34,298	51,147	21,060	27,908	7.53	8.71	8.24	9.55
80-81	105.68	94.01	99.62	75.12	20,402	34,636	12,626	19,152	5.93	6.49	7.12	7.78
85-86	172.79	142.40	113.77	104.02	10,190	18,572	7,306	12,373	4.19	4.79	5.55	5.58
90-91	227.12	207.29	175.36	180.15	3,174	7,193	3,445	5,853	3.41	3.50	3.87	3.79
95-96	287.54	292.49	274.37	280.02	752	1,737	981	1,605	2.60	2.56	2.67	2.63
100-101	385.83	388.31	384.47	385.98	99	220	135	214	1.93	1.92	1.93	1.93
105-106	477.78	477.51	478.09	477.89	6	13	8	13	1.52	1.52	1.52	1.52

^{a/} Data from "Maryland Life Tables, 1949-51", National Office of Vital Statistics, Dept. HEW, published March 9, 1956. V. S. Special Reports, Vol. 41, Supplement 19. (A later life table would require population information by age, race, and sex, not presently available for individual States.)

—
Md

312.09752

M369f

1956

DO NOT CIRCULATE

